



6 Core 14/0.20mm Unshielded, 300m Security Cable - White

Product Images



Description

6 Core 14/020 Unshielded, 300m Security Cable

6 Core Security & Alarm Cable. Unshielded. PVC insulated/sheathed, RoHS Compliant. Extra-low voltage. Oxygen-free Copper. This cable is for low voltage use only and is not suitable for mains connection.

FEATURES

Inner condutor

- Material: Plain Annealed Oxygen Free Copper
- Stranded: 14 x 0.2mm
- Nom. O.D. 0.86mm
- Cross-section area: 0.44mm²
- Max. DC resistance: 43 Ohm / Km

Insulation

- Material: Coloured PVC, RoHS compliant
- Nom. O.D.: 1.50mm
- Nom. wall thickness: 0.32mm
- Colour codes; Black / White / Red / Blue/ Green/ Yellow
- 6 cores stranded

Sheath

- Material: White PVC, RoHS compliant
- Nom. External O.D.: 5.50±0.30mm
- Nom. Wall Thickness: 0.60±0.05mm
- Cable Finish: Typically ropy
- Voltage Rating: Extra-low voltage
- Operating Temp. Range: -20C to +70C

WARRANTY

1-year limited warranty

WHY 4CABLING?

- Australia's leading importer & wholesaler of 19" server racks, copper, ethernet cable, fibre optic leads & structured networking products
- ISO 9001, NSW Govt. & GITC (QLD Govt.) approved supplier
- Secure online shopping 24/7
- A loyal customer base of 100k+ who trust us for their data & electrical needs
- Over 3000 quality products in stock ready to go
- All products are approved as per local Australian standards
- Warranty & peace of mind return policy
- Lightning-fast delivery nationwide
- Expert advice
- Proudly 100% Australian owned & operated

Additional Information

Product Name	6 Core 14/0.20mm Unshielded, 300m Security Cable - White
Part#:	007.003.0007
Connector A	IEC C14 (Male)
Length	300m
Colour	White
Jacket Material	PVC
Warranty	1 Year

